

DUBAI (UAE)
NINJA ELECTRONICS (SHOWROOM)
TEL NO: (+9714)2291403
FAX NO: (+9714)2258549
P.O.BOX 20063
Email ID: sales@ninjagroup.com

NINJA ELECTRONICS LLC
TEL NO: (+9714)2254628
FAX NO: (+9714)2258549
P.O.BOX 20063
Email ID: main@ninjagroup.com

EVEREST TOP ELECTRONICS LLC
TEL NO: (+9714)2257977
FAX NO: (+9714)2269852
P.O.BOX 20063
Email ID: evt@ninjagroup.com

NINJA ELECTRONICS LLC (BR.)
TEL NO: (+9714)2257572
FAX NO: (+9714)2269849
P.O.BOX 20063
Email ID: branch@ninjagroup.com

JEDDAH
ABDUALLAH S.AL.GHUNAIM TRDG.EST.
JEDDAH
TEL NO: (+9662) 6486462
FAX NO: (+9662) 6486462
Email ID: gulfstarr@gmail.com

IRAQ
CENTERINO COMPANY
TEL NO: +9641 8151350
FAX NO: +9641 8186208
MOB: 7700007215 , 7800007215
Email ID: sayonairaq@yahoo.com

KUWAIT
AL SAFFAR INT'L GENERAL TRADING & CONT., CO.,
TEL NO: 00 965 22461597
FAX NO: 00 965 22427604
P.O.BOX 25412.Safat 13115. Kuwait
Email ID: haresh@fasttelco.com.

ALGERIA
SARL SAYONA DZ IMPORT EXPORT
MOB NO: +213550.66.99.49 / +213772666581
TEL / FAX NO: +213361402
P.O.BOX: 39040
Email ID: said.ff@gmail.com / info@sayona-dz.com / contact@sayona-dz.com

LIBIYA
ALRABEA COMPANY
TEL 00218 21 730 1540
FAX 00218 21 363 2090
E-MAIL alrabeaco2002@yahoo.com .

JORDAN
LEMAR HAMDAN AND SAAD LIT
TEL NO: +962796666203 /4612570
FAX NO: +9624639228
P.O.BOX: 11118/7125
Email ID orbitstars@hotmail.com / hamdanassaf@hotmail.com

TANZANIA
R.K.TECHNOTRONICS LTD
P.O.BOX 325, UHURU / SWAHILI STREET, NEXT TO TOTAL PETROL STATION
DAR-ES-SALAAM – TANZANIA
TEL: +255 22 2183551 MOB: +255 752 622 344
EMAIL: rktechnotronics@cats-net.com

NIGERIA
NINJA NIGERIA LTD.
LAGOS
TEL NO (+234)017903900
MOB : (+234)08058005102
MOB : (+234)017632697
EMAIL: arun@ninjagroup.com

KENYA
MEMUSI TRADING COMPANY
NAIROBI
TEL : 0705-873223
Email ID : memusi@sayona.co.ke

SAYONA PRODUCT CATALOGUE 2012-2013



سايونا

NINJA ELECTRONICS L.L.C



Welcome to the world of "SAYONA" a leading brand in electronics, home appliances & digital multimedia.

Established in 1992 Ninja groups of companies premier brand "SAYONA" is founded with fundamental aim is to create aggressive and long term customer relationships towards the initial goal to internationalize in the field of home appliances, kitchen appliances, personal care, entertainment. The group offers an extensive range of premium quality products at competitive price, we have expanded our product range and have been recognized by the market for providing good quality products including Refrigerator's, air conditioner, washing machine, Vacuum cleaner, irons, microwave ovens, personal care, entertainment products & various kitchen appliances.

OUR MISSION

We excel in every single aspect that truly matters to you.

INNOVATION & QUALITY

Strive to be among the world class high tech leaders and to provide technological innovations and valuable contribution to humanity, endlessly pursue to be number one in the area of quality, speed, service, creation and cost-efficiency control.

DESIGN

"SAYONA" is driven by the zeal to offer upcoming technology in the ever new product lines offered, the guiding principles being innovation, superior design is well balanced mix between traditional and modern contours. Contemporary style.

PRICE

Our product line is targeted at the most price sensitive segment of the market, in this highly competitive line of business we constantly try to be the price leader with "SAYONA" and at the same time we strive to offer as much value added service with cost and effective response to customers demands and concerns through self owned and dedicated Head offices in TAIWAN as well as in MAINLAND CHINA that gives us the necessary low cost edge.

LONG TERM RELATIONSHIP

Commit ourselves to the virtues of diligence, honesty, integrity and ingenuity. To create a long term relationship and win mutual benefit with our clients is one of the most important factors of continued success.

SERVICE

China office serves as the logistics hub, providing the highest level of the pre and after sales support, Our commitment for the excellence in providing the highest level of customer satisfaction had no parallels, our service and quality is just not a trend-it has been ingrained, in our business processes with worldwide dedicated sales network catering to the Gulf, Middle east, African, Asian, European, Russian and CIS countries and steadily expanding to the newer markets intending to partner with companies who can represent "SAYONA" brand and promote in their countries and benefit by joining the reliable and fastest growing world brand.

CONTENTS

ENTERTAINMENT	001-022
WHITE GOODS	023-027
HOME APPLIANCES	028-056
KITCHEN APPLIANCES	057-104
LIGHTING DEVICES	105-109
HEATERS	110-115
PERSONAL CARE	116-137
ANTENNA	138-140
NEW ARRIVAL	141-142





SHT-1009

- OUTPUT : 30W + 10W X 5
- IC : 2xTDA2030A + 5xTDA2030
- TRANSFORMER " SMPS , BS PLUG WITH FUSE
- WITH USB , SD , FM

SHT-1012

- 5.1 CH MULTIMEDIA SPEAKER
- Built in FM radio
- With LED Display
- With USB / SD / MMC / MS jack
- Full function remote control
- Subwoofer : Driver unit : 5.25" x 1
- Frequency : 45 Hz-200Hz



SHT-1006

- 5.1CH SPEAKER WITH (USB / SD /FM / LED)
- DISPLAY / REMOTE CONTROL
- IC : 2*2050+2*2030
- SUB : 5.25" / 50W
- SAT : 3"x5+1.5"x5 (18Wx2)





ENTERTAINMENT

- LCD TV
- DVD
- PALMTOP DVD PLAYER / CAR CD PLAYER
- HOME THEATER SYSTEM
- 2.0 KARAOKE PROFESSIONAL SPEAKER
- MINI USB MULTIMEDIA SPEAKER
- RCR SYSTEM
- HEAD PHONE

Thanks to SAYONA modern & next generation entertainment products , Your life is full of joy and imagination. SAYONA has always tried to give the best electronics products.




LCD TV 39" HD

- Hight brightness high contract LCD panel
- Digital process for picture and audio
- Support the software update out side
- Support HDTV component singnal input
- PC resolution suporting
- HDMI input
- 200 program full auto search memory
- Full function infrared remote control
- Brightness : 500cd/m2
- Built in tuner
- Multi language OSD
- Multi system : PAL BG / DK / I / SECAM / NTSC



LCD TV 32HD

- Hight brightness high contract LCD panel
- Digital process for picture and audio
- Support the software update out side
- Support HDTV component singnal input
- PC resolution suporting
- HDMI input
- 200 program full auto search memory
- Full function infrared remote control
- Brightness : 500cd/m2
- Built in tuner
- Multi language OSD
- Multi system : PAL BG / DK / I / SECAM / NTSC



SDVX-1095



SDVX-1096



SDVX-1097



SDVX-1065(DVD COMBO)

- DVD Player and repeat function , coaxial/optical/s-video output
- Compatible with CDR/CD-RW
- FM/FM ST./AM radio , digital frequency display
- Cassette recorder / stereo player
- Support USB disk , SD/MS/MMC card storage device playback
- Full function infrared remote controller
- DVD/VCD/SVCD/CD/MP3/MP4 programmable & memory playback
- Dolby digital decoder
- Echo dual MIC , jack , karaoke function
- LCD display
- Built in condenser microphone
- Output : 3WX2 with 10% THD



LCD TV 32" LED

- High brightness high contract LED panel
- Digital process for picture and audio
- Support the software update out side
- Support HDTV component signal input
- PC resolution supporting
- HDMI input
- 200 program full auto search memory
- Full function infrared remote control
- Brightness : 500cd/m2
- Built in tuner
- Multi language OSD
- Multi system : PAL BG / DK / I / SECAM / NTSC



S-130DVX



S-200DVX



SDVX-11XHDMI



SDVX-22XHDMI



S-490DVX

- 5.1 Dolby digital audio output
- DIVX / DVD / SVCD / VCD / DVCD / MPEG4 / CD / CDR / JPEG Compatibility
- With USB / SD card input
- Multi OSD
- HDMI function
- Karoke function
- Digital optical and coaxial output
- Progressive scan
- Parental lock and password function.





SDVX-1117 7"INCH

- 270°rotating design,super slim unit
- 7.5" high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1200mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function
- Support USB key,SD/MMC card
- Audio-video input/output function
- A grade screen/resolution: 480*234, Hitachi Lense, MTK1389DE-Q solution ,



SDVX-1118 7"INCH

- 270°rotating design,super slim unit
- 7.5" high resolution color TFT LCD screen
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 1200mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function
- Support USB key,SD/MMC card
- Audio-video input/output function
- A grade screen/resolution: 480*234, Hitachi Lense, MTK1389DE-Q solution ,



SDVX-1119 11.5"INCH

- 270°rotating design,super slim unit
- 11.5" high resolution color TFT DIGITAL LCD
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 2000mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function
- Support USB key,SD/MMC card
- Audio-video input/output function
- A grade digital panel/resolution: 1024*600, Hitachi 1200x Lense, MTK1389-J solution
- With VGA port



SDVX-1120(1489) 16"INCH

- 270°rotating design,super slim unit
- 16" high resolution color TFT DIGITAL LCD
- Compatible with DVD / DVD±R / DVD±RW / VCD / MP3 / MP4 / CD±R / CD±RW / DIVX
- Support AV / VOB / MPG/ DIVX / MP3 / MP4 / WMA / JPEG / TXT formats
- With analog TV function,PAL / NTSC / SECAM full TV system
- 2000mah battery, can continue working around 2H
- Game & FM radio , MP3 CD Copy function
- Support USB key,SD/MMC card
- Audio-video input/output function
- A grade digital panel/resolution: 1024*600, Hitachi 1200x Lense, MTK1389-J solution
- With VGA port



SXC-72UC



SXC-74UC



SXC-73UC

- Auto loading Car CD/MP3 player with USB / SD ports
- AM / FM 2-band radio
 - Auto loading car CD/MP3 player
 - Multi colour LCD digital display
 - Dancing spectrum
 - Built - in USB / CD ports
 - ID3 Tag function
 - Detachable front panel
 - Rotary Tuning control
 - Electronic Volume control
 - ESP (Electronic Shock Protection)
 - Balance / Treble / Bass control
 - Preset EQ function
 - 10 Songs Skip Up/Down
 - Clock function
 - Band function
 - Mute function
 - Repeat function
 - RCA line out
 - 4-channel high power output



SXC-75UC

- PLL tuning Car CD/MP3 Player with USB / SD ports
- PLL Tuning AM/FM 2-Band Radio
 - Car CD/MP3 player
 - USB / SD / MMC car reader
 - MP3/CD-R/CD-RW/CD compatible
 - Advanced ESP anti-Shock system
 - Repeat / Intro / Random
 - Large LCD digital display
 - With black masking
 - Flip-down detachable panel
 - Present memory stations
 - ID3 tag function
 - Auto store/present scan
 - Treble / BASS / Balance / Fader control
 - Preset EQ (Pop / Rock / Classic / Jazz)
 - Full function remote control
 - 4-channel high power output
 - Mute control
 - RCA line out



SHT-4222

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- P.M.P.O.: 1200 W ;S/N Ratio: ; ≥78dB
- Distortion: 0.3% 1W 1KHz;Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm) ;Satellite;;130*115*200 (mm) ;USB port
- SD card reader /VFD /REMOTE/FM RADIO TDA2030A*3



SHT-2355

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- P.M.P.O.: 1200 W ;S/N Ratio: ; ≥78dB
- Distortion: 0.3% 1W 1KHz;Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm) ;Satellite;;130*115*200 (mm) ;USB port
- SD card reader /VFD /REMOTE/FM RADIO TDA2030A*3



SHT-2350UCFM

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- P.M.P.O.: 1200 W ;S/N Ratio: ; ≥78dB
- Distortion: 0.3% 1W 1KHz;Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm) ;Satellite;;130*115*200 (mm) ;USB port
- SD card reader /REMOTE/FM RADIO TDA2030A*3



SHT-2360UCFM

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- P.M.P.O.: 1200 W ;S/N Ratio: ; ≥78dB
- Distortion: 0.3% 1W 1KHz;Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm) ;Satellite;;130*115*200 (mm) ;USB port
- SD card reader /VFD /REMOTE/FM RADIO TDA2030A*3



SHT-2365UCFM

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- S/N Ratio: ≥78dB
- Distortion: 0.3% 1W 1KHz
- Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm)
- Satellite: 130*115*200 (mm)
- USB port
- SD card reader /LCD DISPLAY/FM RADIO /REMOTE/



SHT-2370UCFM

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- S/N Ratio: ≥78dB
- Distortion: 0.3% 1W 1KHz
- Power: AC220V~50Hz
- Subwoofer: 330*170*310 (mm)
- Satellite: 130*115*200 (mm)
- USB port
- SD card reader /LCD DISPLAY/FM RADIO /REMOTE/




SHT-2375UCFM

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- S/N Ratio: ≥78dB
- Distortion: 0.3% 1W 1KHz
- Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm)
- Satellite: 130*115*200 (mm)
- USB port
- SD card reader /LCD DISPLAY/FM RADIO /REMOTE/


SHT-3666

- OUTPUT Power : 13wX2 + 28W
- F.Response : F.Requency response : sub:20Hz-170Hz
Sat : 120Hz-20Hz
- Dimension : sub:W170XH320xd332mm
Sat: W92XH355XD50mm
- S/N ration : >65bD
- Importing sensitivity satellite : 630mV
Subwoofer : 180mV
- Speaker unit : Sub-Woofer : 5.25" 30W
Satellite : 2.75" 10W


SHT-2400UCFM

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- P.M.P.O.: 1200 W
- S/N Ratio: ≥78dB
- Distortion: 0.3% 1W 1KHz
- Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm)
- Satellite: 130*115*200 (mm)
- USB port
- SD card reader /LCD DISPLAY/FM RADIO REMOTE


SHT-2300UCFM

- Output Power: 20W+10Wx2 ,all black with led light on the panel
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite 3"x2
- P.M.P.O.: 1200 W
- S/N Ratio: ≥78dB
- Distortion: 0.3% 1W 1KHz
- Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm)
- Satellite: 130*115*200 (mm)
- USB port
- SD card reader /DIGITAL LED DISPLAY /REMOTE/FM RADIO TDA2030A*3


SHT-2315UCFM

- black and silver USB/SD FM ;
- ouput power:20W+10W*2;
- Speaker Unit:woofer5.25"Satellite3"x2; S/N:≥ 80dB ;
- Power:AC220/50HZ
- Subwoofer size (L x W x H): 360 x 170 x310mm ;
- Satellite size (L x W x H): 140 x 115 x 200mm
- IC: ST2030+ST2030Ax2


SHT-2220UCFM

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- S/N Ratio: ≥78dB
- Distortion: 0.3% 1W 1KHz
- Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm)
- Satellite: 130*115*200 (mm)
- USB port
- SD card reader /FM RADIO /REMOTE/





SHT-3128

- SAYONA 2.1 channel home speakers
- All Wooden speakers
- Powerful super woofer
- 2-satellit speaker system
- Volumn button with blue light
- With Display with remote control
- RMS power subwoofer:30W & Satellite:2x10W
- AC 220-240V ~50/60Hz



SHT-3131

- SAYONA 2.1 channel home speakers
- All wooden speakers
- Powerful super woofer
- 2-satellite speaker system
- Volumn button with remote control
- With display with remote control
- RMS power subwoofel:30W & Satellite:2x10W
- AC 220-240V~50/60Hz



SHT-1001

- 2.1CH SPEAKER WITH (USB / SD /FM / LED)
- DISPLAY / REMOTE CONTROL
- IC : 2*2050+2*2030
- SUB : 5.25" / 50W
- SAT : 3"x2+1.5"x2 (18Wx2)



SHT-1002

- 2.1CH SPEAKER WITH (USB / SD /FM / LED)
- DISPLAY / REMOTE CONTROL
- IC : 2*2050+2*2030
- SUB : 5.25" / 50W
- SAT : 3"x2+1.5"x2 (18Wx2)



SHT-5511

- Big 5.1 column home theatre speaker
- With full function remote control
- With multi-color digital VFD display
- Driver : Subwoofer : 8inch x 1
- Front speaker: 3 inch x 2 + tweeter x 1
- Center speaker : 3 inch x 2 + tweeter x 1
- Surround 3 inch x 2 + tweeter x 1
- Output power : 300w
- Color : black
- Special function : USB / SD / MMC CARD READER , digital



H
O
M
E

T
H
E
A
T
E
R

S
Y
S
T
E
M





SHT-1003

- 2.1CH SPEAKER WITH (USB / SD /FM / LED)
- DISPLAY / REMOTE CONTROL
- IC : 2x2050+2x2030
- SUB : 5.25" / 50W
- SAT : 3"x2+1.5"x2 (18Wx2)



SHT-1004

- 2.1CH SPEAKER WITH (USB / SD /FM / LED)
- DISPLAY / REMOTE CONTROL
- IC : 2x2050+2x2030
- SUB : 5.25" / 50W
- SAT : 3"x2+1.5"x2 (18Wx2)



SHT-1005

- 2.1CH SPEAKER WITH (USB / SD /FM / LED)
- DISPLAY / REMOTE CONTROL
- IC : 2*2050+2*2030
- SUB : 6.5" / 80W
- SAT : 3"x2+1.5"x2 (18Wx2)



SX-30

- 2.1CH SPEAKER WITH (USB / SD /FM / LED)
- DISPLAY / REMOTE CONTROL
- IC : 2x2050+2x2030
- SUB : 5.25" / 50W
- SAT : 3"x2+1.5"x2 (18Wx2)



SHT-2215UCFM

- black and white USB/SD;Output power:20W+10w*2 ;
- Speaker Unit:woofer5.25"Satellite3"x2+1.5"x2(fake tweeter); S/N:≥ 80dB ;
- Power:AC220/50HZ
- Subwoofer size (L x W x H): 360 x 170 x310mm ;
- Satellite size (L x W x H): 140 x 115 x 200mm
- IC: ST2030+ST2030Ax2



SHT-1114

- 2.1CH SPEAKER WITH (USB / SD /FM)
- REMOTE CONTROL
- Output : 15W + 8W*2





SHT-1031

- Output power:20W+10w*2 ;
- Frequency response:40HZ-150HZ,150HZ-20KHZ
- Speaker Unit:woofer5.25"Satellite(3"+1.5")x2,P.M.P.O.;1200W,S/N RATION>=78dB
- Distortion:0.3% 1w 1kHz,Power :AC 220V-50HZ
- Subwoofer size (L x W x H): 330 x 170 x310mm ;
- Satellite size (L x W x H): 130 x 115 x 200mm
- USB PORT,SD CARD READER /MULTI-COLOR LED DISPLAY/ REMOTE/FM RADIO TDA2030A*3
- Giftbox size:386*237*463MM,Carton size:787*489*481MM/3 Sets



SHT-1032

- Output power:20W+10w*2 ;
- Frequency response:40HZ-150HZ,150HZ-20KHZ
- Speaker Unit:woofer5.25"Satellite(3"+1.5")x2,P.M.P.O.;1200W,S/N RATION>=78dB
- Distortion:0.3% 1w 1kHz,Power :AC 220V-50HZ
- Subwoofer size (L x W x H): 330 x 170 x310mm ;
- Satellite size (L x W x H): 130 x 115 x 200mm
- USB PORT,SD CARD READER /MULTI-COLOR LED DISPLAY/ REMOTE/FM RADIO TDA2030A*3
- Giftbox size:386*237*463MM,Carton size:787*489*481MM/3 Sets



SHT-1035

- USB/SD;Output power:20W+10w*2 ;
- Speaker Unit:woofer5.25"Satellite3"x2+1.5"x2(fake tweeter); S/N:≥ 80dB ;
- Power:AC220/50HZ
- Subwoofer size (L x W x H): 360 x 170 x310mm ;
- Satellite size (L x W x H): 140 x 115 x 200mm
- IC: ST2030+ST2030Ax2



SHT-1041

- BLACK USB/SD /FM/Digital LED display/Remote
- Output power:20W+10Wx2 SAT:5MM
- Frequency response: 55Hz-150Hz, 150Hz-20KHz
- Speaker Unit::5"+3"*2
- S/N:≥ 80dB
- Power:AC220-240V 50-60HZ
- IC: STTDA2030*3 , PRODUCT SIZE:H260*W150*D260
- SATELLITE SIZE: H170*W105*D105



SHT-1042

- BLACK USB/SD /FM/Digital LED display/Remote
- Output power:20W+10Wx2 SAT:5MM
- Frequency response: 55Hz-150Hz, 150Hz-20KHz
- Speaker Unit::5"+3"*2
- S/N:≥ 80dB
- Power:AC220-240V 50-60HZ
- IC: STTDA2030*3, PRODUCT SIZE:H260*W150*D260 SATELLITE SIZE: H170*W105*D105



SHT-1043

- BLACK USB/SD /FM/Digital LED display/Remote
- Output power:20W+10Wx3 SAT:5MM
- Frequency response: 55Hz-150Hz, 150Hz-20KHz
- Speaker Unit::5"+3"*3
- S/N:≥ 80dB
- Power:AC220-240V 50-60HZ





SHT-1044

- USB/SD /FM/Digital LED display/Remote
- Output power:20W+10Wx3 SAT:5MM
- Frequency response: 55Hz-150Hz, 150Hz-20KHz
- Speaker Unit::5"+3"*3
- S/N:≥ 80dB
- Power:AC220-240V 50-60HZ



SHT-1046

- USB/SD /FM/Digital LED display/Remote
- Output power:20W+10Wx2 SAT:5MM
- Frequency response: 55Hz-150Hz, 150Hz-20KHz
- Speaker Unit::5"+3"*2
- S/N:≥ 80dB
- Power:AC220-240V 50-60HZ



SHT-1047

- USB/SD /FM/Digital LED display/Remote
- Output power:20W+10Wx3 SAT:5MM
- Frequency response: 55Hz-150Hz, 150Hz-20KHz
- Speaker Unit::5"+3"*3
- S/N:≥ 80dB
- Power:AC220-240V 50-60HZ



SHT-1048

- USB/SD /FM/Digital LED display/Remote
- Output power:20W+10Wx3 SAT:5MM
- Frequency response: 55Hz-150Hz, 150Hz-20KHz
- Speaker Unit::5"+3"*3
- S/N:≥ 80dB
- Power:AC220-240V 50-60HZ



SHT-1050

- Output power:20W+10W*2 ;Frequency response:40HZ-150HZ,150HZ-20KHZ
- Speaker Unit:woofer5.25"Satellite(3"+1.5")x2,
- Subwoofer : 330*170*310 (mm)
- Satellite: 130*115*200 (mm)
- USB port
- SD card reader /DIGITAL LED DISPLAY /REMOTE/FM RADIO



SHT-1051

- Output Power: 20W+10Wx2
- Frequency Response: 40Hz~150Hz 150Hz~20KHz
- Speaker Unit: Subwoofer 5.25 Satellite (3"+1.5")x2
- P.M.P.O.: 1200 W
- S/N Ratio: ≥78dB
- Distortion: 0.3% 1W 1KHz
- Power: AC220V~50Hz
- Subwoofer : 330*170*310 (mm)
- Satellite: 130*115*200 (mm)
- USB port
- SD card reader /DIGITAL LED DISPLAY /REMOTE/FM RADIO

